	Application No.	Applicant(s)
•	Apphousion to:	Applicatings
Notice of Allowability	10/043,597	GUNDERSON ET AL.
	Examiner	Art Unit
	Natalia Figueroa	2651
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. 🔀 This communication is responsive to reply (10 January 200	<u>06)</u> .	•
2. X The allowed claim(s) is/are 1-34.		
3. Acknowledgment is made of a claim for foreign priority unal All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have	e been received. e been received in Application No	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which give	es reason(s) why the oath or declar	ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amend	ate
		•

Application/Control Number: 10/043,597 Page 2

Art Unit: 2651

REASONS FOR ALLOWANCE

1. The drawings filed on 29 November 2004 (11/29/2004) are acknowledged. These drawings are accepted by the examiner.

2. The amendment filed 10 January 2006 (01/10/2006) is acknowledged and made of record. Claims 35-36 have been canceled.

Allowable Subject Matter

- 3. Claims 1-34 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

RE claim 1, the prior art of record, and in particular Shrinkle (USPN 5,585,974), fails to teach or suggest a method comprising the steps of: (a) selecting a target error rate for recording data during the write process, for one or more of the data storage devices; and (b) for each data storage device, determining a dither value for each head in the data storage device, wherein for each head, using the corresponding dither value for the write process essentially provides said selected target error for all the heads.

RE claims 15 and 23, the prior art of record, and in particular Shrinkle (USPN 5,585,974), fails to teach or suggest a method and associated apparatus comprising the steps of (a) selecting a target error rate for recording data during the write process, for one or more of the data storage devices; and (b) for each data storage device, determining the amount by which to artificially degrade the read signal during the write process for each head in the data storage device to essentially provide said selected target error rate for all the heads.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 10/043,597 Page 3

Art Unit: 2651

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the 6.

examiner should be directed to Natalia Figueroa whose telephone number is (571) 272-7554.

The examiner can normally be reached on Monday - Thursday 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TECHNOLOGY CENTER 2600